

Excellence Since 1953












Lead Free Products



PCT-LF Lead Free Contractor Gauge*

The PCT-LF Series gauge is an economical stainless steel case gauge. Use the PCT-LF in potable water systems that require a ±1% full scale accuracy.

Dial Size	4.5" (115mm)
Case	304 SS
Accuracy	±1% ANSI/ASME Grade 1A
Range	Vac to 5,000 psi
Connection	1/4" NPT bottom
Warranty	5 years



PEM-LF Lead Free Economy Gauge*

PEM-LF is an economical all purpose pressure gauge with a black steel case. Ideal for plumbing, heating, water tanks and OEM applications.

Dial Size	1.5" (40mm), 2" (50mm), 2.5" (63mm) and 4" (100mm)				
Case	Steel, painted black				
Accuracy	±3-2-3% ANSI/ASME Grade B				
Range	Vac to 5,000 psi				
Connection	1/8" or 1/4" NPT bottom or back				
Warranty	5 years				



PET-LF Lead Free Economy Test Gauge*

An economical pressure gauge with swivel adaptor, a black steel case and optional maxi-pointer. PET-LF is used for residential & commercial testing of water lines.

Dial Size	2.5" (63mm)				
Case	Steel painted black				
Accuracy	±3-2-3% ANSI/ASME Grade B				
Range	0 to 300 psi				
Connection	3/4" Female swivel hose connection				
Warranty	5 years				



PFQ-LF Lead Free Stainless Steel Liquid Filled Gauge*

The PFQ Series gauge is a durable stainless steel gauge that can withstand pulsation and vibration, making it an ideal choice for operating in harsh environments.

Dial Size	2.5" (63mm) and 4" (100mm)
Case	AISI 304 SS
Accuracy	±1.5% of full scale
Range	Vac to 15,000 psi
Connection	2.5": 1/4" NPT, 4": 1/4" or 1/2" NPT
Warranty	5 years



TAS-LF Lead Free Industrial 5" Thermometer*

An all-purpose, economical thermometer with a vertical sensing tube and impact resistant ABS case. TAS-LF is ideal for hot water lines, boilers and potable water applications.

Case	5" (125mm) black ABS			
Tube	Glass, cushioned			
Accuracy	±2% of full scale			
Range	-40°F to 400°F (-40°C to 200°C)			
Connection	1/2" NPT straight or angle standard, 3/4" NPT optional			
Warranty	5 years			

Lead Free Products





TIM -LF Lead Free Industrial 9" Thermometer*

TIM-LF has a 9" aluminum or Valox® case, vari-angle connection and 360° case rotation for easy installation.

Scale	9" (230mm) aluminum or Valox® case, impact resistant				
Tube	Glass (magnifying)				
Accuracy	±1%				
Range	-40°F to 300°F (-40°C to 150°C)				
Connection	3/4" NPT with thermowell, 1 1/4" - 18 UNEF swivel nut without thermowell				
Warranty	5 years				



TSW-LF Lead Free Hot Water Thermometer*

The Lead Free Hot Water Thermometer is a cost effective and accurate way to measure air and water temperatures. It is perfect for hot water lines, boilers and hydronic heating applications.

Dial Size	2" (50mm), 2.5" (63mm) dial type or 8" (200mm) scale type
Case	Dial: aluminum, scale: steel
Accuracy	±1%
Range	30°F to 280°F (0°C to 135°C)
Connection	Dial: 1/2" NPT centre back or 3/4" sweatwell, scale: 1/2" NPT straight or angle
Warranty	5 years

Lead Free Valves*

Winters manufactures SMV-LF Lead Free Mini Ball Valves and SNV-LF Lead Free Needle Valves for isolation of pressure gauges and transmitters in potable water systems.



SMV-LF Conn. 1/4" NPTF x NPTM or NPTF x NPTF SNV-LF Conn. 1/4" NPTF x NPTF

Pressure 400 psi (2,758 kPa) max

Temperature -90°F to 212°F (-23°C to 100°C) process temperature

Warranty 5 years

5 years

Lead Free Accessories*

Warranty

SSN-LF Lead Free Snubbers lessen the damaging effects of pulsation in potable water applications while STP-LF Lead Free Test Plugs provide quick pressure and temperature readings at test points.



Body	Lead free brass
SSN-LF Conn.	1/4" or 1/2" NPT
STP-LF Conn.	1/4" or 1/2" NPTM or 2.75 OAL x 1.75" x 0.125" probe
SSN-LF Temp.	-65°F to 650°F (-53°C to 343°C) operating temperature
STP-LF Temp.	-40°F to 302°F (-40°C to 150°C) operating temperature



NSF standard 61 and 372 ensure that products coming into contact with drinking water are thoroughly tested for lead content and leaching and adhere to the weighted average lead content of \leq 0.25% and solder/ flux at \leq 0.20%.



Winters 'LF' Series of lead free products comply with the USA Safe Drinking Water Act and the Canadian National Plumbing Code.



CRN is a number issued in Canada for the design of a pressure vessel or fitting. CRN identifies the product has been tested at four times its rating and its design is accepted and registered for use in that province or territory.

* WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Valox® is a registered trademark of SABIC

WINTERS INSTRUMENTS

MANUFACTURER OF INDUSTRIAL INSTRUMENTATION



Winters Instruments is a global manufacturer of premium quality pressure and temperature instrumentation, with distribution partners in over 90 countries. Please contact us for your nearest Regional Manager.

Corporate - Canada

Winters Instruments 121 Railside Road Toronto, Ontario M3A 1B2 Tel: 416-444-2345 1-800-WINTERS Fax: 416-444-8979 sales@winters.com

Canada - Calgary Winters Instruments

2410D 2nd Avenue SE Calgary, Alberta T2E 6J9 Tel: 403-723-6645 1-800-WINTERS Fax: 403-723-6647 calgary@winters.com

USA - Houston

Winters Instruments 5400 W. Sam Houston Pkwy N. Houston, Texas 77041 Tel: 281-880-8607 1-800-WINTERS Fax: 281-880-8614

Europe - Middle East - Africa

Winters Instruments
Dubai Airport Free Zone
6WB G50
Dubai, United Arab Emirates
Tel: 971-4295-9177
Fax: 971-4295-9177
emeasales@winters.com

Asia - Shanghai

Winters Instruments Room 203, Building 8, No. 471, Guiping Road Shanghai 200233 China Tel: 86-21-6104-2610

Tel: 86-21-6104-2610 Fax: 86-21-6104-2615 asiasales@winters.com www.wintersasia.com

Central America - Panama

Winters Instruments Comercial Coco Solito Manzana CO 3-2 Locales C-7, C-8, C-9 Zona Libre de Colon, Rep. De Panama www.winters.com

United Kingdom - Northampton

Winters Instruments Unit, 4B Kingsfield Cl, Northampton, NN5 7QS Tel: +44 7342 250093 emeasales@winters.com www.winters.com

usasales@winters.com

Latin America Winters Instruments

Lamadrid 121 Los Troncos del Talar, B1608CEC Buenos Aires, Argentina Tel: 54-11-4715-3036 latinsales@winters.com www.winters.com.ar



Distributed by:			